

THE COUNTERTOP

MAXIMUS
MEGA SLAB

THE COUNTERTOP

RAK
CERAMICS

CONTENTS

KITCHEN	27
BATHROOM	61
FURNITURE	81

MARBLE

AMANI MARBLE	105
BAHIA WAVE	106
BLACK BEAUTY	107
BLU DEL BELGIO	108
BRECCIA ADIGE	109
CALACATTA AFRICA	110
CALACATTA EXTRA	110
CALACATTA GOLD	111
CALACATTA VERDE	112
CLASSIC CARRARA HYPERWHITE	113
CLASSIC CARRARA GREY	114
CLASSIC NEW MARFIL	115
DARK INK	116
ELLE MARBLE	117
IRISH XL	118
MEDICEA MARBLE	119
MARQUINO VENTO	119
LUCE	120
ONYX CANVAS	122
PREZIOSI	124
PANDA MARBLE	128
PALISSANDRO	128
RAIN MARBLE	129
SMERALDO	130
STATUARIO CONTINUO	130
TAJ MAHAL	131
THASSOS	132
URBAN MARBLE	133
VERDE ALPI	133
VERSILIA MARBLE	134

THROUGH BODY VEINING

SAINT LAURENT	104
VIAREGGIO	104

CONCRETE

ARAGON CONCRETE	136
BASIC CONCRETE XL	136
BEHIND	137
REVIVE CONCRETE XL	138
TOKYO CONCRETE	140
SURFACE XL	139

METAL AND RESIN

ICON METAL	141
METAMORFOSI	142

STONE

FLAG STONE XL	148
CEPPO DI GRE’	149
ICELAND STONE	150
MACAUBAS	150
NEW TRAVERTINO	151

OTHERS

UNI	152
-----	-----

The logo for RAK CERAMICS is displayed in a bold, white, sans-serif font. The word 'RAK' is positioned above 'CERAMICS'. The letters have a slight 3D effect with shadows. The background is a dark, textured surface resembling marble or stone with light-colored veins.

RAK CERAMICS

Focused on ceramics’ expertise

RAK Ceramics is one of the largest ceramics’ brands in the world. Specialising in ceramic and gres porcelain wall and floor tiles and sanitaryware, the company has the capacity to produce 123 million square metres of tiles and 5 million pieces of sanitaryware per year at its state-of-the-art plants across the United Arab Emirates, India and Bangladesh.

Founded in 1989 and headquartered in the United Arab Emirates, RAK Ceramics serves clients in more than 150 countries through network of operational hubs its in Europe, Middle East and North Africa, Asia, North and South America and Australia. Across global operations the company employs approximately 12,000 staff from more than 40 nationalities. RAK Ceramics is a publicly listed company on the Abu Dhabi Securities Exchange in the United Arab Emirates and as a group has an annual turnover of approximately US\$1 billion.

Forged in the mountains of Ras Al Khaimah


RAK Ceramics was established in Ras Al Khaimah in 1989 by H.H. Sheikh Saud Bin Saqr Al Qasimi, member of the Supreme Council and Ruler of Ras Al Khaimah, who aspired to have the best machinery, latest technology, and to produce the best products possible for sale in the world.

Now under the vision and leadership of Sheikh Khalid Bin Saud Al Qasimi, Chairman of RAK Ceramics, the company has enjoyed rapid growth becoming an industry leader in just 30 years.





Innotech - RAK Ceramics lab



Innovation is the heart of RAK Ceramics philosophy and the company is a pioneer in introducing hi-tech innovations that are a breakthrough in the industry and a world leader in the production of ceramic and porcelain tiles ideal for use of indoor and outdoor spaces for wall and floor coverings for residential, retail and industrial projects.

A wide range of technologies are used at the state-of-the-art plants including big slabs pressing technology, advanced digital printing technology for industrial decoration and effects, translucent, double and triple charged feeding systems, digital soluble salts, thermal resistant komfy glaze, slim, anti-microbial, glow in the dark, and other advanced technologies.

RAK Ceramics is known for the wide product range and size range and for its ability to produce bespoke ranges for both small and large scale projects, enabling its clients to bring their idea to life.

INNOTECH - RAKCERAMICS LAB



The antibacterial revolution



Antislip surfaces for indoor and outdoor application



Technical and versatile surfaces suitable for any kind of usage



Heat adaptive technology on porcelain tiles



3D texture, surfaces, colours in unique materials

INNOTECH - RAKCERAMICS LAB



Environmentally sustainable surfaces




Extra matt, zero gloss surfaces



Porcelain tile that is as real as natural marble



Backlighting high tech




High definition structures using digital technology

We play our role for a better environment and society

Sustainability in every sphere of business is one of the main elements of RAK Ceramics mission statement. The company is committed to practicing environmental stewardship throughout its manufacturing chain – from product design and efficient operations processes – and to playing an active role in building a better community by enhancing the surrounding environment. Organization's activities improve energy efficiency, reduce pollution, enhance biodiversity and improve the quality of life for both people in the communities it operates in and for its workforce. It recycles natural raw materials to help conserve natural resources and adopts clean development mechanism (cdm) projects to reduce carbon emissions during the manufacturing process.

RAK Ceramics is the first ceramics manufacturing company in its region to produce a global reporting initiative (gri) sustainability and corporate social responsibility (csr) report, based on the latest gri-gr4 guidelines. RAK Ceramics is a founding member of Emirates Green Building Council, which supports the development of sustainable buildings in the UAE.





Quality makes us different

RAK Ceramics was the first company in United Arab Emirates being awarded with ISO 9001 certification by internationally recognized UK certification body "CICS" (Ceramic Research Institute Certification Scheme) for ceramics tiles and sanitary wares. Bureau Veritas Certifications verified the implementation of RAK Ceramics' quality management system and certified the company in compliance with the requirements of ISO 9001:2015 with the scope covering the design, development, production and supply of ceramics and porcelain floor and wall tiles, slabs and vitreous china sanitary wares.

Bureau Veritas Certifications also certified RAK Ceramics for ISO 14001:2015 Environmental Management System.

RAK Ceramics manufactures ceramic tiles according to the latest version of ISO 13006 and/or EN 1441 standards with equivalent ANSI A137.1 American national standard specifications for ceramics tiles.


Its Testing Laboratory is operating in accordance to ISO/IEC 17025 accredited by NATA (National Association of Testing Authorities, Australia).

Being a corporate member of EGBC (Emirates Green Building Council), RAK Ceramics supports the promotion and development of sustainable buildings in United Arab Emirates.

The world's leading ceramics lifestyle solution provider

RAK Ceramics helps architects and interior designers create icons and build marvels. It provides sustainable materials that inspire ideas, shapes and hues designed to freely express any style. Unique and inspiring products that realistically resemble natural materials, with unlimited choice.

RAK Ceramics gives porcelain perfection and limitless imagination. Its passion and expertise combined with a careful attention to details enables it to provide designers and end users with a wide range of integrated ceramics solutions, allowing their freedom to be creative and plenty of room for imagination.





A track record of expertise


RAK Ceramics' products feature in some of the most iconic buildings in the world. From the Burj Al Arab, Atlantis on The Palm and Ferrari World, to Dubai Duty Free, Wembley Stadium, The O2 Arena, Mercedes Benz Showrooms, Airports, Residential Developments and Shopping Malls all over the world.


MAXIMUS
MEGA SLAB

135x305 cm
53.14"x120"
>|< 14.5 mm



120x260 cm
47.24"x102.36"
>|< 6 mm





5 Stars performances

- Resistant to heat
- Easy to clean
- Highly resistant to scratches
- Highly resistant to breaking load
- Resistant to freeze
- Versatile
- High quality raw materials



The design possibilities
are endless.


Imagine a tiled space with virtually no grout lines.
Imagine limitless possibilities for your surfaces and unparalleled flexibility for any kind of applications.
Maximus is available in 3 thicknesses and a wide range of finishes and sizes.
Heat resistance, recyclable, light weight, durable and easy to clean.
Maximus is the best answer to the most challenging architectural and interior design needs.





*Kitchen Top: Versilia Marble Hyper White
Furniture: Versilia Marble and Uni Black*

KITCHEN



Counter, Table and Backcounter Wall: Saint Laurent Black



Kitchen Counter: Revive Concrete XL Sand



Counter and Back Splash: Black Beauty



Counter: Palissandro Ivory
Furniture: Uni Light Beige
Floor: Uni Ivory



Counter and Kitchen Counter: Revive XL Concrete Grey
Counter Furniture: Uni Dark Grey



Wall: Medicea Marble Hyper White
Floor: Revive Concrete XL Concrete Grey
Kitchen Top: Medicea Marble Hyper White
Table Top: Medicea Marble Hyper White



Counter and Kitchen Counter: Surface XL Cool Grey
Counter Furniture: Surface XL Cool Grey



Wall and Floor: Versilia Marble Hyper White
Kitchen Top: Versilia Marble Hyper White
Furniture: Versilia Marble Hyper White and Uni Black



Counter and Kitchen Counter: Thassos




Kitchen Counter and Back Splash: Breccia Adige Grey



Counter: Elle Marble White
Table Top: Uni Black



*Kitchen Counter: Surface XI Cool Grey
Kitchen Back Splash: Thassos Hyper White*



*Wall: Macaubas White
Kitchen Top: Macaubas White*



Kitchen Top: Uni Ivory



*Kitchen Top and Backsplash: Versilia Marble (Statuario Apuano) open book effect
Furniture: Uni Ivory*



Vanity Top: Iceland Concrete Grey
Kitchen Top: Iceland Concrete Grey
Table Top: Iceland Concrete Grey



Wall: New Travertino Grey
Floor: New Travertino Ivory
Kitchen Top: New Travertino Grey



Wall: Behind Beige
Kitchen Top: Behind Beige



Furniture: Uni Dark Black
Kitchen Top and Wall: Versilia Marble



Shelves and Wall: Uni Dark Black
Floor and Furniture: Uni Hyper white
Backsplash: Uni Dark Black




Counters: Blu Del Belgio Clay

BATHROOM



Counters: Surface XL Cool Grey
Floor: Surface XL Sand



Counters and Back Splash: Calacatta Verde Green



Countertop : Viareggio Hyper White

Wall and Counter: Classic Carrara Grey





Wall: Uni Black
Counter: Tokyo Concrete Concrete Grey
Floor: Revive Concrete XI Active White



Wall and Counter: Panda Marble White



Vanity Top: Surface XL Cool grey



Counter: Blu Del Belgio Blue



Vanity Top, Table and Mirror: Blu Del Belgio Clay



Wall and Wash Basin: Surface XL Cool Grey



Wall and Vanity Top: Macaubas White



Counter: Uni Ivory

Wall and Floor: Uni Dark Black
Counter: Uni Dark Black





Table Top: Ceppo di Gre' Light Grey

FURNITURE



Wall: Luce Onyx Arco Red
Counter Wall: Luce Onyx Arco Red



Counter, Table and wall Frame: Taj Mahal Pearl
Floor and Seat: Metamorfofi Cord



Counter: Onyx Canvas Ivory
Wall: Onyx Canvas Black
Floor: Revive Concrete XL



Furniture: Metamorfosi Dusk and Midnight
Wall: Metamorfosi Dusk, Midnight and Metamorfosi Ibisco Decor
Floor: Metamorfosi Cord



Table Top: Revive Concrete XL Concrete Grey

Table Top: Behind Grey



Wall, Furniture and Table: Panda Marble White



Furniture, Wall and Floor: Black Beauty



Table Top: Medicea Marble Hyper White
Floor: Revive Concrete XL Concrete Grey

Table Top: Breccia Adige Grey
Floor: Uni Ivory



Counter: Irish XI Green
Wall: Irish XI Green



Wall: Thassos

Wall: Dark Ink Black

PRODUCTS

THROUGH-BODY VEINING

SAINT LAURENT

>|< 14.5 mm

135x305 cm

53.14"x120"

Porcelain Tiles
Polished



saint laurent black

VIAREGGIO





viareggio hyper white

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
SAINT LAURENT BLACK	135x305 / 53.14"x120"	14.5	A83GSANL-BLK.N0X2P
VIAREGGIO HYPER WHITE	135x305 / 53.14"x120"	14.5	A83GVGGO-HWH.N0X2P

AMANI MARBLE

>|< 6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles
Polished / Honed




amani marble light grey




amani marble dark grey

amani marble light grey variations
120x260



amani marble dark grey variations
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
AMABI MARBLE LIGHT GREY	120x260 / 47.24"x102.36"	6	A62GAMMB-LIG.N0X6P	A62GAMMB-LIG.O0X6P
AMABI MARBLE DARK GREY	120x260 / 47.24"x102.36"	6	A62GAMMB-DKG.N0X6P	A62GAMMB-DKG.O0X6P


MARBLE



BAHIA WAVE


>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished



bahia wave blue

bahia wave blue variations
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
BAHIA WAVE BLUE	120x260 / 47.24"x102.36"	6	A62GBHWE-BLE.N0X6P

BLACK BEAUTY

>|< 14.5 mm
135x305 cm
53.14"x120"

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished / Matt



black beauty

black beauty design variations
120x260



Note: 135x305 cm have one face design (for all collection)

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)
BLACK BEAUTY	135x305 / 53.14"x120"	14.5	A83GBBKB-NEO.N0X2P	A83GBBKB-NEO.M0X2R
	120x260 / 47.24"x102.36"	6	A62GBBKB-NEO.N0X6P	-

BLU DEL BELGIO

>|< 14.5 mm

135x305 cm

53.14"x120"

>|< 6 mm

120x260 cm


47.24"x102.36"

Porcelain Tiles
Polished / Honed






blu del belgio blue




blu del belgio clay

blu del belgio variations
120x260



blu del belgio clay variations
120x260



BRECCIA ADIGE

>|< 14.5 mm

135x305 cm

53.14"x120"

>|< 6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles
Polished / Honed





breccia adige grey

breccia adige grey design variations
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
BLUE DEL BELGIO BLUE	135x305 / 53.14"x120"	14.5	A83GZBLB-BL0.G0C2P	A83GZBLB-BLE.O0X2P
	120x260 / 47.24"x102.36"	6	A62GZBLB-BL0.G0C6P	A62GZBLB-BLE.O0X6P
BLUE DEL BELGIO CLAY	135x305 / 53.14"x120"	14.5	A83GZBLB-CL0.G0C2P	A83GZBLB-CLA.O0X2P
	120x260 / 47.24"x102.36"	6	A62GZBLB-CL0.G0C6P	A62GZBLB-CLA.O0X6P
BRECCIA ADIGE GREY	135x305 / 53.14"x120"	14.5	A83GBRAE-GRY.N0X2P	A83GBRAE-GRY.O0X2P
	120x260 / 47.24"x102.36"	6	A62GBRAE-GRY.N0X6P	A62GBRAE-GRY.O0X6P

CALACATTA AFRICA

>|< 14.5 mm
135x305 cm
53.14"x120"

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished / Honed / Matt



calacatta africa white


CALACATTA EXTRA




calacatta extra white



calacatta africa white design variations
120x260



calacatta extra white continues design
120x260



CALACATTA GOLD

>|< 14.5 mm
135x305 cm
53.14"x120"

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished / Honed / Matt



calacatta gold white

calacatta gold white design variations
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)	CODE (matt)
CALACATTA GOLD WHITE	135x305 / 53.14"x120"	14.5	A83GCTAG-WHE.N0X2P	A83GCTAG-WHE.O0X2P	A83GCTAG-WHE.M0X2R
	120x260 / 47.24"x102.36"	6	A62GCTAG-WHE.N0X6P	A62GCTAG-WHE.O0X6P	A62GCTAG-WHE.M0X6R
CALACATTA AFRICA WHITE	135x305 / 53.14"x120"	14.5	A83GCCAF-WHE.N0X2P	A83GCCAF-WHE.O0X2P	A83GCCAF-WHE.M0X2R
	120x260 / 47.24"x102.36"	6	A62GCCAF-WHE.N0X6P	A62GCCAF-WHE.O0X6P	-
CALACATTA EXTRA WHITE	135x305 / 53.14"x120"	14.5	AGB83CCTEWHEZHSC2P	A83GCCTE-WHE.O0X2P	A83GCCTE-WHE.M0X2R
	120x260 / 47.24"x102.36"	6	AGB62CCTEWHEZHSC6P	A62GCCTE-WHE.O0X6P	-

CALACATTA VERDE

>|< 14.5 mm
135x305 cm
53.14"x120"

>|< 6 mm
120x260 cm
47.24"x102.36"


Porcelain Tiles
Polished





calacatta verde

calacatta verde white variations
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
CALACATTA VERDE GREEN	135x305 / 53.14"x120"	14.5	A83GCCTV-GRE.N0X2P
	120x260 / 47.24"x102.36"	6	A62GCCTV-GRE.N0X6P

CLASSIC CARRARA HYPER WHITE

>|< 14.5 mm
135x305 cm
53.14"x120"


Porcelain Tiles
Polished / Honed / Matt






classic carrara hyper white

classic carrara hyper white open book effect



face A

face B



face C

face D

ITEM	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)	CODE (matt)
CLASSIC CARRARA HYPER WHITE	135x305 / 53.14"x120"	14.5	A83GZCRR-HWH.G0C2P	A83GZCRR-HWH.O0X2P	A83GZCRR-HWH.M0X2R
CLASSIC CARRARA HYPER WHITE OPEN BOOK EFFECT (FACE A)	135x305 / 53.14"x120"	14.5	AGD83ZCRRHWHZHSA1P	A83GZCRR-HWH.O0C2P	A83GZCRR-HWH.M0C2R
CLASSIC CARRARA HYPER WHITE OPEN BOOK EFFECT (FACE B)	135x305 / 53.14"x120"	14.5	AGD83ZCRRHWHZHSA2P	A83GZCRR-HWH.O0D2P	A83GZCRR-HWH.M0D2R
CLASSIC CARRARA HYPER WHITE OPEN BOOK EFFECT (FACE C)	135x305 / 53.14"x120"	14.5	AGD83ZCRRHWHZHSA3P	A83GZCRR-HWH.O0A2P	A83GZCRR-HWH.M0A2R
CLASSIC CARRARA HYPER WHITE OPEN BOOK EFFECT (FACE D)	135x305 / 53.14"x120"	14.5	AGD83ZCRRHWHZHSA4P	A83GZCRR-HWH.O0B2P	A83GZCRR-HWH.M0B2R

CLASSIC CARRARA GREY

>|< 14.5 mm

135x305 cm

53.14"x120"

>|< 6 mm

120x260 cm


47.24"x102.36"

Porcelain Tiles
Polished / Honed / Matt




classic carrara grey

classic carrara grey design variations
120x260



classic carrara hyper white open book effect
135x305



face A

face B

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)	CODE (matt)
CLASSIC CARRARA GREY	135x305 / 53.14"x120"	14.5	A83GZCRR-GY0.G0C2P	A83GZCRR-GRY.O0X2P	A83GZCRR-GRY.M0X2R
	120x260 / 47.24"x102.36"	6	A62GZCRR-GY0.G0C6P	-	-
CLASSIC CARRARA GREY OPEN BOOK EFFECT (FACE A)	135x305 / 53.14"x120"	14.5	AGD83ZCRRGRYZHSA1P	A83GZCRR-GRY.O0A2P	A83GZCRR-GRY.M0A2R
CLASSIC CARRARA GREY OPEN BOOK EFFECT (FACE B)	135x305 / 53.14"x120"	14.5	AGD83ZCRRGRYZHSA2P	A83GZCRR-GRY.O0B2P	A83GZCRR-GRY.M0B2R

CLASSIC NEW MARFIL

>|< 14.5 mm

135x305 cm

53.14"x120"

>|< 6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles
Polished / Honed



classic new marfil beige

classic new marfil beige design variations
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
CLASSIC NEW MARFIL BEIGE	135x305 / 53.14"x120"	14.5	A83GZNMF-BE0.G0C2P	A83GZNMF-BEE.O0X2P
	120x260 / 47.24"x102.36"	6	A62GZNMF-BE0.G0C6P	A62GZNMF-BEE.O0X6P


DARK INK

SIGNATURE
COLLECTION


>|< 6 mm

120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished / Honed



dark ink white



dark ink black

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)	CODE (matt)
DARK INK WHITE	120x260 / 47.24"x102.36"	6	A62GDKIK-WHE.N0X6P	A62GDKIK-WHE.O0X6P	-
DARK INK BLACK	120x260 / 47.24"x102.36"	6	A62GDKIK-BLK.N0X6P	A62GDKIK-BLK.O0X6P	-
ELLE MARBLE WHITE	135x305 / 53.14"x120"	14.5	AGB83ELLMWHEZHSNLP	A83GELLM-WHE.O0X2P	A83GELLM-WHE.M0X2R
	120x260 / 47.24"x102.36"	6	AGB62ELLMWHEZGSNLP	A62GELLM-WHE.O0X6P	-
ELLE MARBLE BLACK	120x260 / 47.24"x102.36"	6	A62GELLM-BLK.N0X6P	-	-

ELLE MARBLE

>|< 14.5 mm

135x305 cm
53.14"x120"

>|< 6 mm

120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished / Honed / Matt



elle marble white




elle marble black

elle marble white variations
120x260



elle marble black variations
120x260



IRISH XL

>14.5 mm
135x305 cm
53.14"x120"


>6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished





irish xl green



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)	CODE (matt)
IRISH XL GREEN	135x305 / 53.14"x120"	14.5	A83GIRSX-GRE.N0X2P	-	-
	120x260 / 47.24"x102.36"	6	A62GIRSX-GRE.N0X6P	-	-
MEDICEA MARBLE WHITE	135x305 / 53.14"x120"	14.5	AGB83MDMBHWHZHSC2P	A83GMDMB-HWH.O0X2P	A83GMDMB-HWH.M0X2R
	120x260 / 47.24"x102.36"	6	AGB62MDMBWHEZHSC6P	A62GMDMB-WHE.O0X6P	-
MARQUINO VENTO	135x305 / 53.14"x120"	14.5	A83GZLMV-BLK.N0X2P	-	A83GZLMV-BLK.M0X2R

MEDICEA MARBLE

>14.5 mm
135x305 cm
53.14"x120"


>6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished / Honed / Matt



medicea marble white

medicea marble white design variations
120x260



MARQUINO VENTO

>14.5 mm
135x305 cm
53.14"x120"

Porcelain Tiles
Polished / Matt





marquino vento



MARBLE

LUCE

120x260 cm
47.24"x102.36"
>6 mm

Porcelain Tiles
Polished

SIGNATURE


COLLECTION

luce onyx white



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEONYZHSC6P

luce onyx harlequin




SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEOHNZHSC6P

luce onyx green jade



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	A62GLUCE-OGJ.N0X6P

luce bahia azul



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEBAZZHSC6P

luce onyx ivory



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEOIVZHSC6P

luce onyx arco red



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEOARZHSC6P

luce marble white



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEMARZHSC6P

luce golden marble



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	A62GLUCE-GOM.N0X6P



MARBLE

MARBLE

ONYX CANVAS

SIGNATURE
COLLECTION

>|< 6 mm

120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished



onyx canvas ivory



onyx canvas pink



onyx canvas green



onyx canvas black


onyx canvas ivory variations 120x260




onyx canvas pink variations 120x260



onyx canvas green variations 120x260



onyx canvas black variations 120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
ONYX CANVAS IVORY	120x260 / 47.24"x102.36"	6	A62GIVOX-IVO.N0X6P
ONYX CANVAS PINK	120x260 / 47.24"x102.36"	6	A62GPKOX-PIK.N0X6P

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
ONYX CANVAS GREEN	120x260 / 47.24"x102.36"	6	A62GGROX-GRE.N0X6P
ONYX CANVAS BLACK	120x260 / 47.24"x102.36"	6	A62GDKOX-BLK.N0X6P

PREZIOSI

>|< 6 mm

120x260 cm
47.24"x102.36"


Porcelain Tiles
Polished

SIGNATURE

COLLECTION



preziosi deep blue



preziosi pearl




preziosi rio



preziosi plum

preziosi variations - deep blue, pearl, rio and plum
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
PREZIOSI DEEP BLUE	120x260 / 47.24"x102.36"	6	A62GPRZS-DPB.N0X6P
PREZIOSI PEARL	120x260 / 47.24"x102.36"	6	A62GPRZS-PRL.N0X6P
PREZIOSI RIO	120x260 / 47.24"x102.36"	6	A62GPRZS-RIO.N0X6P
PREZIOSI PLUM	120x260 / 47.24"x102.36"	6	A62GPRZS-PLM.N0X6P

PREZIOSI

>|< 6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles
Polished

SIGNATURE

COLLECTION



preziosi ocean




preziosi rock




preziosi green

preziosi green variations
120x260



preziosi variations - ocean and rock
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
PREZIOSI OCEAN	120x260 / 47.24"x102.36"	6	A62GPRZS-OCN.N0X6P
PREZIOSI ROCK	120x260 / 47.24"x102.36"	6	A62GPRZS-RCK.N0X6P
PREZIOSI GREEN	120x260 / 47.24"x102.36"	6	A62GPRZS-GRE.N0X6P



PANDA MARBLE

>|< 6 mm

120x260 cm


47.24"x102.36"

Porcelain Tiles
Polished



panda marble white

panda marble white design variations
120x260



PALISSANDRO

>|< 14.5 mm

135x305 cm

53.14"x120"

Porcelain Tiles
Polished / Honed



palissandro ivory



RAIN MARBLE

>|< 14.5 mm

135x305 cm

53.14"x120"

>|< 6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles
Polished / Honed / Matt



rain marble white

rain marble white design variations
120X260



rain marble white open book effect
120X260



face A

face B

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)	CODE (matt)
PALISSANDRO IVORY	135x305 / 53.14"x120"	14.5	A83GZEBI-IVO.N0X2P	A83GZEBI-IVO.O0X2P	-
PANDA MARBLE WHITE	120x260 / 47.24"x102.36"	6	AGB62PDMBWHEZHSC6P	-	-
RAIN MARBLE WHITE	135x305 / 53.14"x120"	14.5	AGB83RANMWHEZHSC2P	A83GRANM-WHE.O0X2P	A83GRANM-WHE.M0X2R
	120x260 / 47.24"x102.36"	6	AGB62RANMWHEZHSC6P	-	-
RAIN MARBLE WHITE OPEN BOOK EFFECT (FACE A)	120x260 / 47.24"x102.36"	6	AGD62RANMWHEZHA1P	-	-
RAIN MARBLE WHITE OPEN BOOK EFFECT (FACE B)	120x260 / 47.24"x102.36"	6	AGD62RANMWHEZHA2P	-	-



SMERALDO

STATUARIO CONTINUO

TAJ MAHAL

>|< 6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles
Polished



smeraldo green

smeraldo green variations
120x260



>|< 6 mm

120x260 cm


47.24"x102.36"

Porcelain Tiles
Polished



statuario continuo white

statuario continuo white variations (continues)
120x260



120x260 / 47.24"x102.36"

>|< 14.5 mm

135x305 cm

53.14"x120"

>|< 6 mm

120x260 cm


47.24"x102.36"

Porcelain Tiles
Polished / Honed



taj mahal pearl

taj mahal pearl variations
120x260



120x260 / 47.24"x102.36"

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
SMERALDO GREEN	120x260 / 47.24"x102.36"	6	A62GSMLD-GRE.N0X6P	
STATUARIO CONTINUO WHITE	120x260 / 47.24"x102.36"	6	A62GSTCO-WHE.N0X6P	-
TAJ MAHAL PEARL	135x305 / 53.14"x120"	14.5	A83GTHMH-PRL.N0X2P	A83GTHMH-PRL.O0X2P
	120x260 / 47.24"x102.36"	6	A62GTHMH-PRL.N0X6P	A62GTHMH-PRL.O0X6P


THASSOS

>|< 14.5 mm
135x305 cm
53.14"x120"

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished





thassos

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
THASSOS	135x305 / 53.14"x120"	14.5	A83GTHSS-HWH.N0X2P	-
	120x260 / 47.24"x102.36"	6	A62GTHSS-HWH.N0X6P	-
URBAN MARBLE ORNATE	120x260 / 47.24"x102.36"	6	A62GURBM-OLE.N0X6P	A62GURBM-OLE.O0X6P
VERDE ALPI	120x260 / 47.24"x102.36"	6	A62GVRDA-GRE.N0X6P	-

URBAN MARBLE


>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished / Honed



urban marble ornate

urban marble ornate design variations
120x260



VERDE ALPI

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished



verde alpi

verde alpi design variations
120x260



VERSILIA MARBLE

>|< 14.5 mm
135x305 cm
53.14"x120"

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished / Honed / Matt



versilia marble white

versilia marble white design variations
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)	CODE (matt)
VERSILIA MARBLE WHITE	135x305 / 53.14"x120"	14.5	AGB83VSMBWHZHSC2P	A83GV SMB-HWH.O0X2P	A83GV SMB-HWH.M0X2R
	120x260 / 47.24"x102.36"	6	AGB62VSMBWHEZHSC6P	A62GV SMB-WHE.O0X6P	-

VERSILIA MARBLE OPEN BOOK EFFECTS

>|< 14.5 mm
135x305 cm
53.14"x120"

Porcelain Tiles
Polished / Honed / Matt



versilia marble calacatta della piana
open book effect (face A)



versilia marble calacatta della piana
open book effect (face B)



versilia marble statuario apuano
open book effect (face C)



versilia marble statuario apuano
open book effect (face D)

ITEM	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)	CODE (matt)
CALACATTA DELLA PIANA OPEN BOOK EFFECT (FACE A)	135x305 / 53.14"x120"	14.5	AGD83VSMBWHZHSA1P	A83GV SMB-HWH.O0A2P	A83GV SMB-HWH.M0A2R
CALACATTA DELLA PIANA OPEN BOOK EFFECT (FACE B)	135x305 / 53.14"x120"	14.5	AGD83VSMBWHZHSA2P	A83GV SMB-HWH.O0B2P	A83GV SMB-HWH.M0B2R
STATUARIO APUANO OPEN BOOK EFFECT (FACE C)	135x305 / 53.14"x120"	14.5	AGD83VSMBWHZHSA3P	A83GV SMB-HWH.O0C2P	A83GV SMB-HWH.M0C2R
STATUARIO APUANO OPEN BOOK EFFECT (FACE D)	135x305 / 53.14"x120"	14.5	AGD83VSMBWHZHSA4P	A83GV SMB-HWH.O0D2P	A83GV SMB-HWH.M0D2R

ARAGON CONCRETE



>|< 14.5 mm

135x305 cm

53.14"x120"

Full Body Porcelain Tiles

Matt



aragon concrete brown

BASIC CONCRETE XL



>|< 14.5 mm

135x305 cm

53.14"x120"

>|< 6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles

Matt



basic concrete xl dark grey

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
ARAGON CONCRETE	135x305 / 53.14"x120"	14.5	AGB83ARCRBRNZMSC2R
BASIC CONCRETE XL	135x305 / 53.14"x120"	14.5	AGB83ZBSXDGYZMSNLR
	120x260 / 47.24"x102.36"	6	AGB62ZBSXDGYZMSC6R

BEHIND



>|< 14.5 mm

135x305 cm

53.14"x120"

Full Body Porcelain Tiles

Matt



behind light grey



behind grey



behind beige

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
BEHIND LIGHT GREY	135x305 / 53.14"x120"	14.5	A83GZBHD-LGY.M0C2R
BEHIND GREY	135x305 / 53.14"x120"	14.5	A83GZBHD-GY0.M0C2R
BEHIND BEIGE	135x305 / 53.14"x120"	14.5	A83GZBHD-BE0.M0C2R

REVIVE CONCRETE XL

SIGNATURE
COLLECTION

>|< 14.5 mm
135x305 cm
53.14"x120"

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Matt



revive concrete xl active white



revive concrete xl concrete grey



revive concrete xl summer sand

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
REVIVE CONCRETE XL ACTIVE WHITE	135x305 / 53.14"x120"	14.5	AGB83REVVACWZMSNLR
	120x260 / 47.24"x102.36"	6	A62GREVX-ACW.M0X6R
REVIVE CONCRETE XL CONCRETE GREY	135x305 / 53.14"x120"	14.5	AGB83REVXCRGZMSNLR
	120x260 / 47.24"x102.36"	6	A62GREVX-CRG.M0X6R
REVIVE CONCRETE XL SUMMER SAND	135x305 / 53.14"x120"	14.5	AGB83REVXSMSZMSNLR
	120x260 / 47.24"x102.36"	6	A62GREVX-SMS.M0X6R

SURFACE XL

>|< 14.5 mm
135x305 cm
53.14"x120"

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Matt



surface xl off white



surface xl cool grey



surface xl sand

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
SURFACE XL OFF WHITE	135x305 / 53.14"x120"	14.5	AGB83ZSFXOWHZMSNLR
	120x260 / 47.24"x102.36"	6	AGB62ZSFXOWHZMSC6R
SURFACE XL COOL GREY	135x305 / 53.14"x120"	14.5	AGB83ZSFXCGYZMSNLR
	120x260 / 47.24"x102.36"	6	AGB62ZSFXCGYZMSC6R
SURFACE XL SAND	135x305 / 53.14"x120"	14.5	AGB83ZSFXSANZMSNLR
	120x260 / 47.24"x102.36"	6	AGB62ZSFXSANZMSC6R

CONCRETE

TOKYO CONCRETE

SIGNATURE
COLLECTION

>|< 14.5 mm
135x305 cm
53.14"x120"

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Matt



tokyo concrete concrete grey

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
TOKYO CONCRETE CONCRETE GREY	135x305 / 53.14"x120"	14.5	AGB83TYOCCRGZMSC2R
	120x260 / 47.24"x102.36"	6	AGB62TYOCCRGZMSC6R

METAL

ICON METAL

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Lappato



icon metal light grey

icon metal light grey variations
120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (Lappato)
ICON METAL LIGHT GREY	120x260 / 47.24"x102.36"	6	A62GICMT-LIG.M0X6L

METAMORFOSI

>|< 6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles

Matt

SIGNATURE

COLLECTION




metamorfosi dusk



metamorfosi cotton



metamorfosi cord



metamorfosi cloud



metamorfosi fog



metamorfosi midnight



metamorfosi olive



metamorfosi bloom



metamorfosi grape

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
METAMORFOSI COTTON	120x260 / 47.24"x102.36"	6	A62GMTFS-CTT.MOX6R
METAMORFOSI CORD	120x260 / 47.24"x102.36"	6	A62GMTFS-CRD.MOX6R
METAMORFOSI CLOUD	120x260 / 47.24"x102.36"	6	A62GMTFS-COU.MOX6R
METAMORFOSI FOG	120x260 / 47.24"x102.36"	6	A62GMTFS-FGG.MOX6R
METAMORFOSI DUSK	120x260 / 47.24"x102.36"	6	A62GMTFS-DSK.MOX6R
METAMORFOSI MIDNIGHT	120x260 / 47.24"x102.36"	6	A62GMTFS-MDN.MOX6R
METAMORFOSI OLIVE	120x260 / 47.24"x102.36"	6	A62GMTFS-OLE.MOX6R
METAMORFOSI BLOOM	120x260 / 47.24"x102.36"	6	A62GMTFS-BLM.MOX6R
METAMORFOSI GRAPE	120x260 / 47.24"x102.36"	6	A62GMTFS-GPE.MOX6R
METAMORFOSI LEAVES GREEN DECOR	120x260 / 47.24"x102.36"	6	A62GMTLV-GRE.MDX6R
METAMORFOSI TROPICAL GREEN DECOR	120x260 / 47.24"x102.36"	6	A62GMTTC-GRE.MDX6R
METAMORFOSI FLOWERS BLUE DECOR	120x260 / 47.24"x102.36"	6	A62GMTFL-BLE.MDX6R
METAMORFOSI PALMS CORD DECOR	120x260 / 47.24"x102.36"	6	A62GMTPL-CRD.MDX6R
METAMORFOSI JUNGLE GREEN DECOR	120x260 / 47.24"x102.36"	6	A62GMTJU-GRE.MDX6R
METAMORFOSI ROSE PINK DECOR	120x260 / 47.24"x102.36"	6	A62GMTRO-PIK.MDX6R
METAMORFOSI IBISCO BLUE DECOR	120x260 / 47.24"x102.36"	6	A62GMTIB-BLE.MDX6R
METAMORFOSI ARTICHOKE CORD DECOR	120x260 / 47.24"x102.36"	6	A62GMTAT-CRD.MDX6R

METAMORFOSI

SIGNATURE
COLLECTION

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Matt



metamorfosi leaves green decor



metamorfosi tropical green decor



metamorfosi ibisco blue decor



metamorfosi palms cord decor



metamorfosi jungle green decor



metamorfosi artichoke cord decor



RESIN

METAMORFOSI


SIGNATURE
COLLECTION

 >|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Matt



metamorfosi rose pink decor



metamorfosi flowers blue decor



FLAG STONE XL

SIGNATURE
COLLECTION

>14.5 mm

135x305 cm

53.14"x120"

Porcelain Tiles
Matt



flag stone xl clay beige



flag stone xl dark grey

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)
FLAG STONE XL CLAY BEIGE	135x305 / 53.14"x120"	14.5	-	A83GFGNE-CYB.M0X2R
FLAG STONE XL DARK GREY	135x305 / 53.14"x120"	14.5	-	A83GFGNE-DKG.M0X2R
CEPPO DI GRE' LIGHT GREY	135x305 / 53.14"x120"	14.5	A83GCPDG-LIG.N0X2P	A83GCPDG-LIG.M0X2R
	120x260 / 47.24"x102.36"	6	-	A62GCPDG-LIG.M0X6R
CEPPO DI GRE' MID GREY	135x305 / 53.14"x120"	14.5	A83GCPDG-MGY.N0X2P	A83GCPDG-MGY.M0X2R
	120x260 / 47.24"x102.36"	6	-	A62GCPDG-MGY.M0X6R
CEPPO DI GRE' NERO	120x260 / 47.24"x102.36"	6	-	A62GCPDG-NEO.M0X6R

CEPPO DI GRE'

>14.5 mm

135x305 cm

53.14"x120"

>6 mm


120x260 cm

47.24"x102.36"

Porcelain Tiles
Polished / Matt



ceppo di gre' light grey



ceppo di gre' mid grey



ceppo di gre' nero

ceppo di gre' light grey variations
120x260 cm



ceppo di gre' mid grey variations
120x260 cm



ceppo di gre' nero variations
120x260 cm



ICELAND STONE



>14.5 mm

135x305 cm

53.14"x120"

Full Body Porcelain Tiles

Matt



iceland stone grey

MACAUBAS



>14.5 mm

135x305 cm

53.14"x120"

Full Body Porcelain Tiles

Matt



macaubas white

NEW TRAVERTINO

>14.5 mm

135x305 cm

53.14"x120"

>6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles

Polished



new travertino ivory



new travertino grey



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)
ICELAND STONE GREY	135x305 / 53.14"x120"	14.5	-	A83GICSE-GRY.M0X2R
MACAUBAS WHITE	135x305 / 53.14"x120"	14.5	-	A83GZMCB-WH0.M0C2R
NEW TRAVERTINO GREY	135x305 / 53.14"x120"	14.5	A83GZNTV-GY0.G0C2P	-
	120x260 / 47.24"x102.36"	6	A62GZNTV-GY0.G0C6P	-
NEW TRAVERTINO IVORY	135x305 / 53.14"x120"	14.5	A83GZNTV-IV0.G0C2P	-
	120x260 / 47.24"x102.36"	6	A62GZNTV-IV0.G0C6P	-

new travertino variations
120x260



>|< 14.5 mm

135x305 cm

53.14"x120"

>|< 6 mm

120x260 cm

47.24"x102.36"

Full Body Porcelain Tiles

Polished / Matt

uni hyper white

uni light grey

uni dark grey

uni dark black

>|< 14.5 mm

135x305 cm

53.14"x120"

>|< 6 mm

120x260 cm

47.24"x102.36"

Full Body Porcelain Tiles

Polished / Matt

uni ivory

uni light beige






uni beige

uni mocca



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)
UNI HYPER WHITE	135x305 / 53.14"x120"	14.5	A83GMAXI-HWH.X0C2P	A83GMAXI-HWH.S0C2R
	120x260 / 47.24"x102.36"	6	A62GMAXI-HWH.X0C6P	A62GMAXI-HWH.S0X6R
UNI LIGHT GREY	135x305 / 53.14"x120"	14.5	A83GMAXI-LGY.X0C2P	A83GMAXI-LGY.S0C2R
	120x260 / 47.24"x102.36"	6	A62GMAXI-LGY.X0C6P	A62GMAXI-LIG.S0X6R
UNI DARK GREY	135x305 / 53.14"x120"	14.5	A83GMAXI-DGY.X0C2P	A83GMAXI-DGY.S0C2R
	120x260 / 47.24"x102.36"	6	A62GMAXI-DGY.X0C6P	A62GMAXI-DKG.S0X6R
UNI DARK BLACK	135x305 / 53.14"x120"	14.5	A83GMAXI-DBK.X0C2P	A83GMAXI-DBK.S0C2R
	120x260 / 47.24"x102.36"	6	A62GMAXI-DBK.X0C6P	A62GMAXI-DBK.S0X6R

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)
UNI IVORY	135x305 / 53.14"x120"	14.5	A83GMAXI-IV0.X0C2P	A83GMAXI-IV0.S0C2R
	120x260 / 47.24"x102.36"	6	A62GMAXI-IV0.X0C6P	A62GMAXI-IVO.S0X6R
UNI LIGHT BEIGE	135x305 / 53.14"x120"	14.5	A83GMAXI-LBE.X0C2P	A83GMAXI-LBE.S0C2R
	120x260 / 47.24"x102.36"	6	A62GMAXI-LBE.X0C6P	A62GMAXI-LBE.S0X6R
UNI BEIGE	135x305 / 53.14"x120"	14.5	A83GMAXI-BE0.X0C2P	A83GMAXI-BE0.S0C2R
	120x260 / 47.24"x102.36"	6	A62GMAXI-BE0.X0C6P	A62GMAXI-BEE.S0X6R
UNI MOCCA	135x305 / 53.14"x120"	14.5	A83GMAXI-MOC.X0C2P	A83GMAXI-MOC.S0C2R
	120x260 / 47.24"x102.36"	6	A62GMAXI-MOK.X0X6P	A62GMAXI-MOK.S0X6R



Choosing the right edge for your countertop

In any interior design project it is often the details that set it apart, and choosing your countertop edge is not a detail you want to overlook.







The edge can complete the style of your dream kitchen or bathroom.

Maximus standard and special edges are the finishing touch to your countertop installation.

RAK E-System*

RAK E-System is a worldwide exclusive by RAK Ceramics. It's the ideal and innovative solution to the current needs of designers who need to combine the aesthetics of a natural looking product with the versatility of porcelain slabs.

Thanks to its innovative and high performance materials, Maximus slabs can be easily processed to obtain glossy or matt thick edges, just gluing 2 overlapping slabs (14.5mm+14.5mm) according to the standards of natural stone processing.



*RAK E-System is only available for UNI



TECHNICAL


SIZES & PACKAGING

TECHNICAL SPECIFICATIONS

EQUIPMENTS AND HANDLING

CLEANING AND MAINTENANCE

Product sizes



Packaging details

135x305 PALLET DIMENSIONS (CM)

Finish		Length	Height	Width
Polished		315	40	150
Natural		315	40	150

TILE THICKNESS: 14.5MM

FINISH	TILE SIZE (CM)	TILE AREA (sqm)	KG per pc	PCS per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)
Polished	135x305	4.12	143	10	41.2	1502
Matt	135x305	4.12	150	10	41.2	1572

120x260 PALLET DIMENSIONS (CM)

Finish		Length	Height	Width
Polished / Natural / Honed		267	33.50	133

TILE THICKNESS: 6MM

FINISH	TILE SIZE (CM)	TILE AREA (sqm)	KG per pc	PCS per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)
Polished / Natural / Honed	120x260	3.12	44.00	20	62.4	1000.00

Note: All tile dimensions mentioned above are rectified. Unrectified size is available in +/-140x308cm on request
All weights and thickness mentioned in the above table are approximate average.

Technical specifications

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	RAK CERAMICS SPECIFICATION	
			Porcelain Tiles (Natural) 14 MM THICKNESS 135X305	Full Body Porcelain Tiles (Natural/ Polished) 14 MM THICKNESS 135X305
Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects	
Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm	± 1.0mm
Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.5mm	± 0.5mm
Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm	± 0.8mm
Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm	± 1.2mm
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm	± 1.8mm
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm
Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%	≤ 0.1%
Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N ≥ 700 N	≥ 3500 N -	≥ 3500 N -
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 40 N/mm ²	≥ 40 N/mm ²
Resistance To Deep Abrasion	BS EN ISO 10545-6	≤ 175 mm ³	-	≤ 150 mm ³
Resistance To Surface Abrasion	BS EN ISO 10545-7	Report abrasion class	PEI CLASS 2-5	-
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	No visible defect
Frost Resistance	BS EN ISO 10545-12	Required	No crazing	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	No visible damage	Class A No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class A No visible effect	Class LA No visible effect
Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class LA No visible effect	Class HA No visible effect
Resistance To Staining (Natural)	BS EN ISO 10545-14	Min. Class 3	Min. Class 4 Stains removed	Min. Class 3 Stains removed
Resistance To Staining (Polished)	BS EN ISO 10545-14	Test method available	-	Min. Class 2 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".
* Test performed using 100X100 cm cut pieces from the slab.
* Thickness is nominal

Technical specifications - Porcelain Tiles (Natural, Full Lappato, Honed)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	RAK CERAMICS SPECIFICATION 6 MM THICKNESS (120x260)
Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects
Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm
Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.5mm
Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm
Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%
Breaking Strength*	BS EN ISO 10545-4	≥ 700 N	≥ 700 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 35 N/mm ²
Resistance To Surface Abrasion	BS EN ISO 10545-7	Report abrasion class	PEI CLASS 2-5
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect
Crazing Resistance	BS EN ISO 10545-11	Required	No crazing
Frost Resistance	BS EN ISO 10545-12	Required	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	Class A No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect
Resistance To Staining	BS EN ISO 10545-14	Minimum class 3	Min. Class 4 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".

* Test performed using 100X100 cm cut pieces from the slab.
* Thickness is nominal

Technical specifications - Full Body Porcelain Tiles (Natural/Polished)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	RAK CERAMICS SPECIFICATION 6 MM THICKNESS (120x260)
Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects
Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm
Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.5mm
Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm
Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.1%
Breaking Strength*	BS EN ISO 10545-4	≥ 700 N	≥ 700 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 35 N/mm ²
Resistance To Deep Abrasion	BS EN ISO 10545-6	≤ 175 mm ³	≤ 150 mm ³
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect
Frost Resistance	BS EN ISO 10545-12	Required	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	Class A No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect
Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class HA No visible effect
Resistance To Staining (Natural)	BS EN ISO 10545-14	Test method available	Min. Class 3 Stains removed
Resistance To Staining (Polished)	BS EN ISO 10545-14	Test method available	Min. Class 2 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".

* Test performed using 100X100 cm cut pieces from the slab.
* Thickness is nominal



Suggested equipment

HANDLING EQUIPMENT	CUTTING AND DRILLING EQUIPMENT
Aluminum Parallel profile with crossbars and Suction Vacuum suction cups with vacuum gauge	Compass device with suction cups for Circular Cuts
Tile Cart Trolley	Free cut guide with complete outfit Max. Cut of length – 156 cm
Double Suction Cups	Free Cut Extension
Modular Work Bench BM180	Cutting off pliers for tile/slabs
Modular Work Bench BM180 BM180 Plus (Perfect Workstation for large format tiles up to 160cm width)	Diamond polishing pad
	Diamond for edge and side polishing
	Diamond Blades for simultaneous cutting and grooving

INSTALLATION AND LEVELLINGEQUIPMENT	CLEANING AND MAINTENANCE
Compact Vibrator or Tile Beater	Brooms
RLS 3D Clips for tiles	Floats with abrasive pads
Wedges (for Anti- Chipping / Anti-Scratching preventing platforms)	
Adjustable pliers for wall and floor covering	
Low-speed mixer	
Rubber Grout floats	
Slant ridge notched trowel	
Diamond for edge and side polishing	

Handling Maximus

- Maximus extra-large format slabs arrive in oversized crates, which require specific Handling equipment to prevent from damage occurring during forklift operation, specific fork sizes must be used. For example, to handle a crate of 135cm x 305cm tiles from the side, 112cm/ 44" long forks are recommended.
- To handle the same crate from the narrow end requires forks that are at least 213cm/ 84" long. Lifting multiple crates with longer forks may require forklifts with a greater lift capacity.
- Specialized tools and equipment are currently available for the handling, installation and cutting of large porcelain surfaces. Innovative trowels with unique notch configurations can help increase the consistency of the mortar coverage on the back of the tile.
- To increase rigidity and limit twisting, use a system composed of parallel and transverse guides.
- For a perfect adhesion clean the slab and the suckers with a damp sponge.
- The suckers run along the guides and adhere to the slab. Make sure that a vacuum is created between the device and the surface.
- A single guide device can be used for sizes of maximum length.
- Use four operators at a time to carry out handling operations of large size slabs.
- Lift the slab along the long side and hang it vertically to the handles of the frame.
- For the large size slab a suitably reinforced trolly is recommended. Set the guides to the trolley for carrying the slab.
- Follow the same procedure for handling the 120x240cm and all other sub-sizes, where only two operators are sufficient.



Cut-to-pieces and drilling

- RAK Ceramics recommends the use of special designed devices for handling as well as cutting and laying of big slabs.
- Handle slab with a proper and professional trolley of aluminum parallel profile with crossbars and vacuum suction cups along with a vacuum gauge. Please use double suction cups for slabs above 300cm. This could make sure that appropriate vacuum is created between the device and the slab. Lift the slab and keep it vertically to the trolley frame.
- Keep the slab on a stable, flat and intractable surface. For successful cutting and drilling, RAK Ceramic recommend using a professional modular workbench with aluminum profiles and proper cutting tools for each type of cut.
- Set the cutting unit on the tile so that the references coincide with the marked lines and lock it with the appropriate suckers. Score the slab from one edge to the other, being carefully maintaining the same pressure while moving.
- When the cut has been made, move the slab until the slit line sticks out a 10 to 15 cm from the workbench. Start hew from both sides using appropriate cutting-off pliers and follow the scoring line to complete the hew.
- Smooth rough edges and sides with an appropriate diamond polishing pad.
- To drill internal cutouts from the slab, first you need to draw the guide lines. For circular cuts, use the compass device with suction cups. For rectangular cut, drill first a 5 – 7 mm hole at the corners of the rectangle shape, using a non-percussion drill. For a better drilling always, keep the surface and drill a little bit wet. Then Follow the drilled lines using a diamond-blade angle grinder and then finish off the edges with a diamond-polishing pad. Round holes (4) must be made in wet drilling, using diamond-blades. Start engraving the surface with a 75 degrees point angle, then straighten out the drill avoiding excessive pressure on the slab. Also, in this case finish with a diamond-polishing pad.
- Manual traction devices are available, in order to make a finishing cut at 45° and thus enable special applications of the material.



Cleaning And Maintenance

Maximus products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface. For most cases only a damp cloth is sufficient for cleaning. Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine. For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia
Ink	Oxidant - Solvent	Alcohol
Rust	Acid	Hydrolic acid
Lime	Acid	Descaling products
Cement	Acid	Hydrolic acid
Wine	Alkaline	Ammonia or Bleach
Coffee	Alkaline - Solvent	Ammonia or Bleach
Rubber	Solvent	Alcohol
Plaster	Acid	Hydrolic acid
Candle wax	Solvent	Alcohol
Iodine	Oxidant	Bleach
Blood	Oxidant	Bleach
Ice cream	Alkaline	Detergent
Resins	Solvent	Alcohol
Fruit juices	Oxidant	Bleach

Disclaimer: The aim of this manual is to offer helpful suggestions about handling and maintaining Maximus mega slabs. Due to nature of sintered ceramic material, it is highly advisable to consult an expert for these purposes. RAK Ceramics cannot be held responsible for any damage resulting from using the information and suggestions contained in this technical manual.

RAK CERAMICS
P.O. Box 4714, Ras Al Khaimah,
United Arab Emirates (U.A.E.)
Tel.: +971 7 2467000
Fax: +971 7 2445270
Email : info@rakceramics.com

RAKCERAMICS.COM

Note: In printing, colour of the products may differ slightly from actual. pictures are only for reference.

RAK

CERAMICS